

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	statistical\$3 near3 multiplex\$3 and (peak maxim\$5) near2 rate and (average mean sustained) near2 rate and demultiplex43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:47
L2	104	statistical\$3 near3 multiplex\$3 and (peak maxim\$5) near2 rate and (average mean sustained) near2 rate and demultiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:04
L3	73	2 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:04
L4	361	statistical\$3 near3 multiplex\$3 and (peak maxim\$5) near2 rate and (average mean sustained) near2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:05
L5	213	4 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:15
L6	85	statistical same (peak maxim\$5) adj2 rate same (average mean sustained) adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:25
L7	62	6 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:20
L8	2	"6845107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:20
L9	12	("5115309"   "5708664"   "5956426"   "6167087"   "6243417"   "6278735"   "6292589"   "6408095"   "6487220"   "6522672"   "6721957"   "6754241").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/08 12:20
L10	6	("4386237"   "4455649"   "5115309"   "5361096"   "5416521"   "5506844").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/08 12:22
L11	103	("5506844").URPN.	USPAT	OR	ON	2005/11/08 12:22
L12	37	statistic same (peak maxim\$5) adj2 rate same (average mean sustained) adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:25
L13	29	"6038256"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:42

L14	10	"6108336" and statistical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:52
L15	1	"6108336" and statistic\$3 and public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:44
L16	11	"6108336" and statistic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:45
L17	0	"6108336" and multiplex43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:45
L18	19	"6108336" and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:45
L19	11	("5216503"   "5502494"   "5506844"   "5708664"   "5805220"   "5963256"   "6038256"   "6151362"   "6167084"   "6208759"   "6243417").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/08 12:47
L20	347	statistical\$3 near3 multiplex\$3 and private and public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:48
L21	84	statistical\$3 near3 multiplex\$3 and private and public with ATM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:48
L22	24	"6108336"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:52
L23	9	statistical\$3 near3 multiplex\$3 and private adj2 atm and public adj atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:07
L24	9	statistic\$3 near3 multiplex\$3 and private adj2 atm and public adj atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:07
L25	9	statistic\$3 with multiplex\$3 and private adj2 atm and public adj atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:07

L26	37	statistic\$3 with multiplex\$3 and private with public with atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:30
L27	58	piece adj wise same statistic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:31
L28	10	piece adj wise same statistic\$3 same constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:34
L29	1	"6845107" and constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:36
L30	2	"5604731" and piece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 13:36
S55	74	statistical\$3 same multiplex\$3 same peak same (mean average) same rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:35
S56	60	statistical\$3 same multiplex\$3 and peak with (mean average) with rate and imag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:18
S57	132	statistical\$3 near3 multiplex\$3 and peak with (mean average) with rate and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:38
S58	69	statistical\$3 near3 multiplex\$3 and peak with (mean average) with rate and encod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:50
S59	101	statistical\$3 near3 multiplex\$3 and peak with (mean average) with rate and rate near3 control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:52
S60	68	S59 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:01

S61	136	statistical\$3 near3 multiplex\$3 same rate near3 control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:19
S62	77	S61 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:20
S63	58	S61 and @ad<"19991003" and (peak maxim\$5) and (average mean)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:10
S64	37	S61 and @ad<"19991003" and (peak maxim\$5) with rate and (average mean) with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:19
S65	11	S61 and @ad<"19991003" and (peak maxim\$5) with rate with cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:19
S66	392	statistical\$3 near3 multiplex\$3 and rate near3 control\$4 and (peak maxim\$5) with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:32
S67	232	S66 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:35
S68	128	S66 and @ad<"19991003" and encod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:21
S69	77	S66 and @ad<"19991003" and encod\$3 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:32
S70	244	statistical\$3 near3 multiplex\$3 and rate near3 control\$4 and (peak maxim\$5) with rate and (average mean) with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:34
S71	41	S70 and @ad<"19991003" and encod\$3 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:35

S72	152	statistical\$3 near3 multiplex\$3 and rate near3 control\$4 and (peak maxim\$5) adj2 rate and (average mean) adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:08
S73	111	S72 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:10
S74	31	S73 and @ad<"19991003" and encod\$3 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:13
S75	69	S72 and @ad<"19991003" and ATM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:08
S76	185	statistical\$3 near3 multiplex\$3 and rate near3 control\$4 and (peak maxim\$5) adj2 rate and (average mean sustained) adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:30
S77	82	S76 and @ad<"19991003" and ATM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:08
S78	57	statistical\$3 near3 multiplex\$3 and rate near3 control\$4 and (peak maxim\$5) with cell with rate and (average mean sustained) with cell with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:13
S79	41	S78 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:37
S80	110	statistical\$3 near3 multiplex\$3 and (peak maxim\$5) with cell with rate and (average mean sustained) with cell with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:17
S81	19	S80 and @ad<"19991003" and encod\$3 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:18
S82	19	S80 and @ad<"19991003" and encod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:13

S83	361	statistical\$3 near3 multiplex\$3 and (peak maxim\$5) near2 rate and (average mean sustained) near2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:00
S84	60	S83 and @ad<"19991003" and encod\$3 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:23
S85	213	S83 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:23
S86	181	multiplex\$3 same rate near3 control\$4 and (peak maxim\$5) adj2 rate and (average mean sustained) adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:14
S87	58	piece adj wise and (peak maxim\$5) adj2 rate and (average mean sustained) adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:36
S88	1013	statistical\$3 same (peak maxim\$5) same (average mean sustained) same rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:36
S89	258	statistical\$3 same (peak maxim\$5) same (average mean sustained) same rate and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:36
S90	150	S89 and @ad<"19991003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:53
S91	1	1999-542468.NRAN.	DERWENT	OR	ON	2005/11/08 10:37
S92	29	"6038256"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:53
S93	11	("5216503"   "5502494"   "5506844"   "5708664"   "5805220"   "5963256"   "6038256"   "6151362"   "6167084"   "6208759"   "6243417").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/08 10:55